



Bendix Air Dryers

PuraGuard is an oil coalescing filter, designed to remove oil and prevent it from entering today's sensitive electronic systems.

[Bendix Manufacturer's Website](#)

[Supplementary Link](#)

Product Highlights

Oil removal before the desiccant

Patented purge valve

3-Step treatment

Oil coalescing, prevents oil from entering the system up to 200% more than others on market

Up to 3 years before replacement, others are 2 years

Lowest cost per mile

Top Movers - Bendix Air Treatment

| Material No | Material Description |
|-------------|--|
| BW 5005037 | MAINTENANCE KIT-AD-9 HARD SEAT PURGE VLV |
| BW K022105 | VALVE KIT, PURGE |
| BW 800202 | AIR DRYER BW AD9 |
| BW 800405 | AIR DRYER PURGE VALVE |
| BW 109494 | AD - IP DEL CK VALVE |
| BW R107794 | CART KIT |
| BW R5004341 | AD - 9 PURGE KIT |
| BW R109685 | AIR DRYER ASM |
| BW 284795N | DRAIN VALVE |
| BW R109493 | AD - IP DESIK CART |

General Product Information

The Bendix® oil coalescing filter provides more than 200 times more life than our leading competitor. One feature that separates the Bendix technology from our competition is the placement of the oil coalescing filter. It comes before the desiccant, ensuring the removal of oil and oil aerosols before they get to that important moisture-removing desiccant.

Warranty Information

Bendix Aftermarket Warranty

(http://www.bendix.com/en/servicessupport/warranty/warranty_2.jsp)

Last updated: Monday, 07 February 2022 07:24 PM

[^Back to Top](#)

Copyright © Daimler Truck North America LLC. [Privacy Statement](#), [Legal Notices and Terms](#)
(<https://northamerica.daimlertruck.com/privacy-policy>). [Privacy Settings](#)
All rights reserved. Daimler Truck North America LLC is a Daimler company.
