



SAF Holland Fifth Wheels

HOLLAND fifth wheels embody a history of evolutionary designs that expand fifth wheel function and value. These innovative advancements guarantee performance and offer proven value for your application.

SAF Holland Fifth Wheels (<https://hollandfifthwheels.com/>)

SAF-Holland Quick Reference Guide (<https://tpdutfvq9xy825ld68hr3o4.blob.core.windows.net/hybris/master/images/XL-MP20036SL-en-US.pdf>)

Parts on Demand Plus - Quick Product Lookup (<https://pod.safholland.com/us>)

Product Highlights

HOLLAND FW35

The new Holland FW35 fifth wheel is designed for heavy-duty applications, offering a robust and reliable coupling solution. It features a high-strength steel frame and advanced rubber pads to ensure secure and smooth operation. The FW35 is compatible with a wide range of truck chassis, making it a versatile choice for fleet managers. Its compact design allows for easy installation and maintenance, further enhancing its value as a long-term investment.



LOAD CAPACITY: 55,000 lbs Vertical Load
PULL CAPACITY: 150,000 lbs. Drawbar Pull

The FW35 Series is the world's most versatile and proven fifth wheel. This premium fifth wheel is designed for years of guaranteed performance, and has been the foundation for revolutionary new ideas that expand fifth wheel function and value. Available in a variety of models, including the FW31 NoLube™, the FW35 meets the needs of the transportation industry for today and beyond.

HOLLAND FW31

An over-the-road, fifth wheel with NoLube technology.

LOAD CAPACITY: 55,000 lbs. Vertical Load
PULL CAPACITY: 150,000 lbs. Drawbar Pull

The FW31 combines the proven reliability of the FW35 top plate with the innovation of patented HOLLAND NoLube technology to provide the industry's first completely grease-free fifth wheel. The FW31 Series eliminates the use of grease on the top plate surface, between the top plate and bracket, and in the lock mechanism.

Benefits of a HOLLAND NoLube Fifth Wheel:

- Reduces lubrication cost and time.
- Extends maintenance intervals and improves shop productivity. Absence of grease allows mechanics to work faster.
- Maintains consistent steer effort, even in sharp turns, to help reduce steer tire scrub/wear.
- Keeps shops safe and clean while helping to meet EPA regulations.
- Preserves the environment and prevents excess grease citations and fines.
- Improves driver productivity – no re-greasing on the road while providing a smoother, more fluid ride and constant feel for the way the trailer pulls.

HOLLAND FW33

An over-the-road, fifth wheel with LowLube technology.

LOAD CAPACITY: 55,000 lbs. Vertical Load
PULL CAPACITY: 150,000 lbs. Drawbar Pull

The FW33 is designed specifically for the vocation industry. It combines the proven reliability of the FW35 top plate with the innovation of patented HOLLAND LowLube technology to provide a grease-free fifth wheel. The FW33 Series eliminates the use of grease on the top plate surface and between the top plate and bracket.

Benefits of a HOLLAND LowLube Fifth Wheel:

- Reduces lubrication cost and time.
- Extends maintenance intervals and improves shop productivity. Absence of grease allows mechanics to work faster.
- Maintains consistent steer effort, even in sharp turns, to help reduce steer tire scrub/wear.
- Keeps shops safe and clean while helping to meet EPA regulations.
- Preserves the environment and prevents excess grease citations and fines.
- Improves driver productivity – no re-greasing on the road while providing a smoother, more fluid ride and constant feel for the way the trailer pulls.

The FW33 fifth wheel is available with a variety of options and accessories. See all available options and accessories for the FW33 in the right-hand column.

SAF-Holland Field Sales Contacts (<https://www.haldex.com/en/north-america/contactus/>)



PART NUMBER	DESCRIPTION	ATTRIBUTE 1	ATTRIBUTE 2
HLD XA 351 A L P	PLATE TOP		
HLD FW0165 0091	FIFTH WHEEL		
HLD 10402720	TOP PLATE ONLY		
HLD RK 351 A L	KIT REBUILD		
HLD XA S1A L P	SIMPLEX S1 ASSEMBLY		
HLD RK 331 1	KIT LO LUBE PLATES		
HLD FW35A824XL00	WHEEL ASSY, SLIDING		
HLD FW35 7729XL	FIFTH WHEEL		
HLD XA 201 A24L UP P	PLATE TOP		
HLD 4000504	SHOE POLY KIT		

Warranty Information

SAF-HOLLAND warrants all Commercial Products (products other than those normally used for personal, family or household purposes) manufactured by it, when properly installed, to be free from defects in material and workmanship under normal use and service for a period of two years from the date of manufacture with the exception of elevating fifth wheels, for which the warranty period is ninety (90) days. This warranty is void with respect to any product which has been altered in any way from its manufactured condition such as by intentional modification, accident, corrosion, misuse, failure to provide necessary and reasonable maintenance, and is exclusive of normal wear. Written authorization from SAF-HOLLAND must be obtained prior to returning any part or parts. No charges for transportation or for labor performed on SAF-HOLLAND products by unauthorized persons will be allowed under this warranty. SAF-HOLLAND extends a limited warranty on all Consumer Products (products normally used for personal, family or household purposes) to the retail purchaser only. A copy of the current Consumer Products Limited Warranty for extension to the retail purchaser may be obtained from SAF-HOLLAND upon request.

Warranty Downloads (<http://www.safholland.us/us/en/literature>)

Last updated: Monday, 21 April 2025 07:18 PM

[^Back to Top](#)

Copyright © Daimler Truck North America LLC. [Privacy Statement](#), [Legal Notices and Terms](#) (<https://daimler-trucksnorthamerica.com/privacy-policy/>)



