

Heavy Duty Condenser



CONDENSERS

Parts for Trucks, Trailers & Buses

Alliance Condensers are designed and manufactured with OE performance and fit as our top priority. By utilizing the best materials, designs, and manufacturing techniques, we can ensure that our replacement condensers maintain the highest levels of quality and reliability.




ZINC COATED TUBES

All of our Condenser tubes are zinc-coated to better resist salt corrosion, especially for areas near the coast or with heavy snow.



HIGH EFFICIENCY WELDED TUBES

Our tubes feature a 5mm fin height which allows for a greater cooling surface.



PARALLEL FLOW DESIGN

STRICT DEM DESIGN

Our condensers feature parallel flow design to increase cooling efficiency.

Tube-and-fin configuration strictly follows OEM design to ensure maximum heat transfer and performance during pressure drop.

Alliance offers a full range of DTNA Condenser applications, with all-make coverage on the way! For more information, please contact us.

Product Highlights




Zinc Coated Tubes Our condensers include a zinc coating to enhance their resistance to salt corrosion, particularly in regions close to the coastline or experiencing significant snowfall.




Virgin Aluminum

Every bracket and fitting is crafted from pure, virgin aluminum to guarantee material purity and strength in the brazing bond.



Reinforced Fin Edge Design We fold the fin edges to enhance stability and improve heat dissipation characteristics.



Parallel Flow Design Our condensers incorporate a parallel flow design to enhance cooling effectiveness.

Top Mover - Freightliner Cascadia 2018 - 2021

Search Parts Guide

Search by Product, Vendor, or Vendor Code

ALLIANCE CONDENSER						
Part Number	OEM #	APPLICATION	Flow	SIZE		
ABP N83 32 0973	2261980000; 2262271000; 2262272000; 2262339000; 2265662000; 2265663000; 2265664000; A2262272000; A2266824002; A2266825000; A2266824002; A2266840000; A2267125000; A2267126000; A2272250000; A2272460000; A272250000; A2272460000; A277250000; A2772460000; A277250000; A2772460000; A27725000; A2772460000; A27725000; A2772460000; A27725000; A277246000; A27725000; A2772460000; A27725000; A2772460000; A27725000; A2772460000; A27725000; A2772460000; A27725000; A277246000; A27725000; A277246000; A277250000; A2772460000; A277250000; A2772460000; A277250000; A2772460000; A27725000; A2772460000; A27725000; A277246000; A27725000; A277246000; A27725000; A277246000; A27000; A277246000; A27725000; A277246000; A27725000; A27725000; A277246000; A27725000; A2772500; A27725000; A27725000; A27725000; A2772500; A27725000; A27725000; A2772500; A2772500; A27725000; A2772500; A27725000; A27725000; A2772500; A2772500; A27725000; A2772500; A277500; A2772500; A277500; A27750	Freightliner Cascadia 08-16	Parallel Flow	33.17in (84.25cm) (56.85cm)		
ABP N83 32 0863	1512015;1E6068; 650363; 77R6978; 9240609; ABPN83320863; BHT4698; MOD1E6068; PL3296; RD465270;	Freightliner Century M2 03-07	Parallel Flow	32in (81.28cm) X 18ir		

AP NB 22 010 X2355100000000000000000000000000000000000					
APP NES 3: 0121 APPEND SS, MPTERSDOOT, MPTDD SS, MPTERSDOOT, BMTDD SS, MPTERSDOOT, BMTDD SS, MPTERSDOOT, BMTDD SS, MPTERSDOOT, BMTDD SS, MPTERSDOOT, BMTDD SS, MPTERSDOOT, BMTDD SS, MPTERSDOOT, TCHAOZ Progether Kalues AP 0347 Produit Tow Pack Tow Pack Mov ABP NES 3: 0016 Z202271001; Z25227100; TCHAOZ Progether Waters Applications 57:02/07 Produit Tow 28:25/07 ABP NES 3: 0016 Z202271001; Z25227100; TCHAOZ Progether Waters Applications 57:02/07 Produit Tow 28:26/07 10:25/07 ABP NES 3: 0016 Z202271001; Z25227100; TCHAOZ Progether Waters Applications 57:02/07 Produit Tow 28:26/07 10:25/07 ABP NES 3: 0014 Z202271001; Z2527100; TCHAOZ Progether Common Ox13 Produit Tow 28:26/07 10:25/07 ABP NES 3: 0012 VADODADAS 1000000000; 10:000000; 10:00000 Progether Common Ox13 Produit Tow 38: (8:3:0000; X 16:3 ABP NES 3: 2012 VADODADAS 10:00000000; 10:00000; 10:000000; 10:00000; 10:00000; 10:00000; 10:00000; 10:00000; 10:00000; 10:00000; 10:00000; 10:00000; 10:00000; 10:00000; 10:0000; 10:0000; 10:0000; 10:0000; 10:0000; 10:0000; 10:0000; 10:0000; 10:0000; 10:0000; 10:0000; 10:0000; 10:0000; 10:0000; 10:0000; 10:0000; 10:0000; 10:0000; 10:0000; 10:0000; 10:000; 10:000; 10:000; 10:000; 10:000; 10:000; 10:000; 10:000; 10:000; 10:000; 10:000; 10:000; 10:000; 10:000; 10:000; 10:000; 10:000; 10:000; 10:000; 10:000; 10	ABP N83 32 2010	2265662000; 2266828000; 650986; A2266827000; A2266842000; A2267128000; A2272252000;	Freightliner Business Class M2 08-10	Parallel Flow	27.94in (70.97cm) X (53.04cm)
APP NB3 32 0956 APPNB3 32 0956 APPNB 32 0956 APPNB 32 0956 Parallel Tow PARADIL (CMU) (B-778 APP NB3 32 0956 228277001; 22827700; 22827700; 22832700; 22825800; 0955; 22832700; 22825800; 0955; 228327800; 228328000; 23232800; 22825800; 0955; 23232800; 227274000; 232328000; 22828000; 232328000; 2282728000; 232328000; 22828000; 232328000; 22828000; 232328000; 22828000; 232328000; 22828000; 232328000; 232328000; 22828000; 232328000; 22828000; 228328000; 228328000; 22828000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 228328000; 2	ABP N83 32 0871	A2267126000; ABPN83320871; BHTD2513; BHTE2108; BHTE2513;	Freightliner Business Class M2 03-07	Parallel Flow	24in (60.96cm) X 16.44in
ABP NB3 32 054 226357200; 22564500; 7008; 225655007; A222645007; A22664500; 7008; A25655901; A222645900; A2525459001; A222645900; A2527459001; A222545900; A2527459001; A252545900; A2527459001; A252545900; A2527459001; A252545900; A2527459001; A252745900; A2527459001; A252745900; A252745900; A252745900; A252745900; A252745900; A252745900; A252745900; A252745900; A252745900; A252745900; A252745900; A252745900; A252745900; A252745900; A252745900; A252745900; A252745900; A252745900; A252745900; A252745900	ABP N83 32 0956	ABPN83320956; C60000; CD40607;	Freightliner Various Applications 97-02/07	Parallel Flow	28.25in (71.76cm) X (24.77cm
ABP NB3 32 0952 I5 12 014: 15 6855: 15 609; 24 40720; 56 06 10; 95050, ABPN83 32 0952; NH 75 5050; K15 12 012; K15 12 016; K15 12 017; PB1 635; PB1 655; PL 50 72 Freightliner Coronado 04-13 Parallel Flow S4 in (86.3 com) X 18.8 ABP NB3 32 0952 IS 12 193; 92 60 103; ABPN83322032; MOD 15 12 193; WSAA094 10PF Western Star 4900/6900 05-07 Parallel Flow 38.50in (97.79 cm) X 1 ABP NB3 32 0961 I140606; 2242084002; 2430535; MOD 15 12 193; WSAA094 10PF Western Star 4900/6900 05-07 Parallel Flow 38.50in (97.79 cm) X 1 ABP NB3 32 0961 I140608; 2242084002; 2430535; MOD 15 12 193; WSAA094 10PF Freightliner / Western Star Century Class (Various) 97-02 Parallel Flow 33.06in (83.97 cm) (48.74 cm) (48.74 cm) (48.74 cm) (48.74 cm) (48.65 cm) (48.65 cm) (48.66 cm) ABP NB3 32 0941 042472; 42472; 652200; ABPNB332049; VL12 10364 Ford Sterling 96-06 Parallel Flow 34.38in (87.33 cm) (49.86 cm) (49.86 cm) (49.86 cm) (49.86 cm) (49.86 cm) (49.86 cm) (42.2724712000; 222271000; A226823000; A22271000; A226823000; A22271000; A226823000; A22271000; A226823000; A222712000; A226823000; A222712000; A2226823000; A222712000; A2226823000; A222712000; A2226823000; A222712000; A2226823000; A222712000; A2226823000; A222712000; A2226823000; A222712000; A2226823000; A222712000; A226823000; A222712000; A226823000; A22271	ABP N83 32 0964	226337200; 2265663001; 2265663002; 226566500; 79083; 9240906; A2266603000; A2266824001; A2266824002; A2266839001; A22662839002; A2267125001; A2267125002; A2272249001; A22722459001; A22724559001; A22722459001;	Freightliner Columbia 10-11	Parallel Flow	33.69in (85.57cm) X (46.84cm)
ABP NB3 32 2036 MOD IS12193; WSAA09410PF Western Star 4900/6900 05-07 Parallel Flow 38.50n (97.79cm) X 1 ABP NB3 32 0981 1140608; 2242084002; 2430535; 3101211TC; 3501704; 613AC228; 6550608; A010693; ABPN83320981; B0A198935; BT30555; CD40608; CPT40608P Freightliner / Western Star Century Class (Various) 97-02 Parallel Flow 33.06in (83.97cm) (48.74cm ABP NB3 32 0981 042472; 42472; 652200; ABPN83 32 0949 Freightliner / Western Star Century Class (Various) 97-02 Parallel Flow 34.38in (87.33cm) (49.86cm ABP NB3 32 0949 042472; 42472; 652200; ABPN83 32 0961 Ford Sterling 96-06 Parallel Flow 34.38in (87.33cm) (49.86cm ABP NB3 32 0961 2261980000; 2262271000; 2265663000; 7084; 9240731; A2262824001; A22642400; A2266824000; A2266824001; A2266824000; A2266839001; A2267125000; A227459000; A2272429000; A2272459000; A2272429000; A2272459000; A2272429000; A227245900; A2272429000; A227245900; A2272429000; A227245900; A227242900; A227245900; A2272429000; A227245900; A227242900; A227245900; A227242900; A227245900; A227242900; A227245900; A227242900; A227245900; A226622400; A227245900; A227242900; A227245900; A227242900; A227245900; A227242900; A227245900; A227242900; A227245900; A227242900; A227245900; A227242900; A227245900; A227242900; A227245900; A227242900; A227245900; A22724900; A227245900; A227242900; A227245900; A227242900; A227245900; A227245900; A227245900; A227245900; A227245900; A227242900; A227245900; A22724900; A227245900; A227242900; A227245900; A227242900; A227245900; A22724900; A2272	ABP N83 32 0952	1512016; 1E5865; 1E6069; 2440703; 650610; 95050; ABPN83320952; BHT95050; K1512012; K1512016;	Freightliner Coronado 04-13	Parallel Flow	34in (86.36cm) X 18.81in
ABP N83 32 0981 3101211TC; 3501704; 613AC228; 650608; A010693; ABPN83320981; B0A198935; BT30535; CD40608; CPT40608P Freightliner / Western Star Century Class (Various) 97-02 Parallel Flow 33.06in (83.97cm) (48.74cm) ABP N83 32 0949 042472; 42472; 652200; ABPN83320949; VAL1210364 Ford Sterling 96-06 Parallel Flow 34.38in (87.33cm) (49.86cm) ABP N83 32 0961 2261980000; 2262271000; A226563000; 79084; 9240731; A2266824001; A2266824000; A2266839001; A2266824000; A2266839001; A22667125000; A2272459000; ABPN83320961; Freightliner Columbia 07-08 Parallel Flow 33.69in (85.57cm) (46.84cm	ABP N83 32 2036		Western Star 4900/6900 05-07	Parallel Flow	38.50in (97.79cm) X 14in
ABP N83 32 0949 ABPN83320949; VAL1210364 Ford Sterling 96-06 Parallel How (49.86cm ABP N83 32 0961 2261980000; 2262271000; 2265663000; 79084; 9240731; A2262271000; A2266824000; A2266824001; A2266824000; A2266824001; A2266839000; A2266829001; A2267125000; A2272459000; A8PN83320961; Freightliner Columbia 07-08 Parallel Flow 33.69in (85.57cm) (46.84cm	ABP N83 32 0981	3101211TC; 3501704; 613AC228; 650608; A010693; ABPN83320981; B0A19893S; BT30535; CD40608;	Freightliner / Western Star Century Class (Various) 97-02	Parallel Flow	33.06in (83.97cm) X (48.74cm)
2265663000; 79084; 9240731; A2262271000; A2266824000; A2266824001; A226683900; A2266839001; A2267125000; A2267125001; A2272249000; A2272459000; ABPN83320961;	ABP N83 32 0949		Ford Sterling 96-06	Parallel Flow	34.38in (87.33cm) X (49.86cm)
	ABP N83 32 0961	2265663000; 79084; 9240731; A2262271000; A2266824000; A2266824001; A2266839000; A2266839001; A2267125000; A2267125001; A2272249000; A2272459000; ABPN83320961;	Freightliner Columbia 07-08	Parallel Flow	33.69in (85.57cm) X (46.84cm)

	IL		L	L
ABP N83 32 2042	2433658; A2266826000; A2266841000; A2267127000; A2272251000; ABPN83322042	Freightliner 108SD 114SD M2 106/112 12-13	Parallel Flow	33.88in (86.06cm) X (46.69cm)
ABP N83 32 0983	ABPN83320983; F6HT19710BA; F6HZ19712A	Ford Sterling L-Series (Heavy Truck) 96-02	Parallel Flow	18.44in (46.84cm) X (92.86cm)
ABP N83 32 0979	650605; 6808300070; 6808300370; 6818300007; ABPN83320979	Freightliner FL60 94-06	Parallel Flow	25.88in (65.74cm) X 20i
ABP N83 32 2009	652202; ABPN83322009; BHT61331; BHT87164	Sterling Acterra 04-06	Parallel Flow	26in (66.04cm) X 20.13in
ABP N83 32 2041	2433649; ABPN83322041; BHT80319; BHTE4698	Sterling Truck Acterra 03-05	Parallel Flow	26in (66.04cm) X 20.13in
ABP N83 32 2031	1140606; 2239302000; 2239302001; 79008; 9240606; ABPN83322031; FRAA06060PF	Freightliner FLA Series Cab-Over Engine, High Profile 96-02	Parallel Flow	28.13in (71.45cm) X (45.57cm)
ABP N83 32 0987	040610; 1140610; 2243941000; 2265663000; ABPN83320987; CON0068	Freightliner Columbia 12.0L 01-03	Parallel Flow	29.38in (74.63cm) X 20i
ABP N83 32 2012	2262272001; 2265664001; 650609; 79119; A2266825000; A2266825001; A2266840001; A2267126001; A2272250001; A2272460001; ABPN83322012; ABPN83322118	Freightliner Cascadia 113 L6 12.8L 10-12	Parallel Flow	33.88in (86.06cm) X (57.63cm)
ABP N83 32 2110	1S12193; ABPN83322110; MOD1S12193	Western Star 4800/4900/6900 2004-2013	Parallel Flow	38 1/2in (97.79cm) (35.56cm)
ABP NB3 32 2116	040611; 1512011; 20046S; 2245017000; 2430526; 3101411TC; A0517636000; A3345017000; ABPN83322116; PT40611	Freightliner Argosy 1999-2006	Parallel Flow	24 1/2in (62.23cm) (66.04cm)

General Product Information

STRICT OEM DESIGN

Our tube-and-fin configuration adheres strictly to OEM design standards, ensuring that it aligns with the precise specifications required for optimal performance. Our replacement part facilitates maximum heat transfer efficiency, allowing the component to effectively dissipate heat under varying conditions. Superior performance occurs even during pressure drops, as the design has been refined to handle such challenges seamlessly. By upholding these stringent standards, we assure you that our product not only meets but surpasses the quality and functionality expectations, making it a reliable choice for your specific needs.

HELIUM TESTED

Our rigorous quality assurance process includes subjecting all replacement parts to a meticulous helium test. This advanced testing methodology guarantees that the replacement part is thoroughly inspected for any potential leaks. By subjecting our replacement part to this rigorous examination, we ensure that they are not just leak-resistant but genuinely 100% leak-free. This commitment to helium testing reflects our dedication to providing you with the highest quality products, instilling confidence that our parts will perform flawlessly and reliably in your vehicle.

Industry-Leading Warranty

Our Two-Year Unlimited Mileage industry-leading warranty offers you two years of coverage with no mileage restrictions. This warranty reflects our confidence in the durability and performance of our products, ensuring you peace of mind.

People Also Viewed



HVAC Compressors - Sanden (School Bus)

Last updated: Monday, 04 August 2025 06:58 PM

▲Back to Top

Copyright © Daimler Truck North America LLC. <u>Privacy Statement, Legal Notices and Terms (https://daimler-trucksnorthamerica.com/privacy-policy)</u>. All rights reserved. Daimler Truck North America LLC is a <u>Daimler (http://www.daimler.com/)</u> company.