DTNAParts





Spicer ReadyCarrier™ Program

Next-Day Direct Shipment of Service Carriers

PROBLEM

"Heavy duty service carrier replacement is complicated and can keep a truck down for days."

SOLUTION

With the Spicer ReadyCarrier™ Program for commercial vehicles, Dana offers shipment of a complete new service carrier assembly by the next business day, with easily trackable delivery.

When a commercial vehicle is down, Dana is there to meet your need for a fast-turnaround aftermarket service carrier solution. The Spicer ReadyCarrierTM Program offers the convenience that you demand, providing world-class service carrier assemblies that are shipped within one business day of order and feature warranty coverage.

FAST, FREE SHIPMENT!



**Option to extend the 3-year warranty to four years* when using Spicer XFE 75W-85 or FE 75W-90 lube in linehaul applications.*

**Customer is required to complete and submit for approval the Spicer® Extended Warranty Plan Registration and Form to obtain the extended warranty.

Features and Benefits:



- · Seamless ordering process
- · Pre-paid freight included
- 500+ Service Carriers available
- Service Carriers are built with genuine Spicer components.
- · Built to OE specifications.
- Features many popular models and ratios series, including: DSP/RSP40, DS/RS404, D170DP, R172D, DDP/RDP40, S140, D155, D156, R155/15

Axle Model	Dana Part #	Differential Gear Ratio
DSP40	<u>DSP40336EX</u>	3.36
DSP40	<u>DSP40336CF</u>	3.36
DSP40	<u>DSP40355EX</u>	3.55
DSP40	<u>DSP40355CF</u>	3.55
RSP40	RSP40355EX	3.55
RSP40	RSP40355CF	3.55
DS404	<u>DS404355EX</u>	3.55
DS404	<u>DS404355CF</u>	3.55
RS404	RS404355EX	3.55
RS404	RS404355CF	3.55
R155/156	R155336EX	3.36
R155/156	R155264EX	2.64
R155/156	R155279EX	2.79
R172D	R172D391EX	3.91
D155	D155264EX	2.64

Spicer® Carrier Assemblies for Commercial Vehicles

PROBLEM

"With so many parts that can potentially fail in an axle carrier, from gearing to oil seals, I need to be sure that every single part is of premium quality."

SOLUTION

Spicer[®] medium- and heavy-duty axle carriers are built with 100% genuine Spicer parts, which meet OE standards and feature the latest engineering improvements and product enhancements.

Don't risk your commercial vehicle's performance on knock-off axle carriers. With genuine Spicer[®] medium-duty and heavy-duty axle carrier assemblies, you get the peace of mind that comes from knowing your brand-new parts meet original equipment standards.



Carriers with the Flexibility to Meet Your Needs

Only Dana gives you two purchasing options for new genuine Spicer carriers:

- Core-free option: requires no core deposit or core return
- Core-exchange option: our most competitively-priced offering



Below is just a sampling of the wide variety of models and ratios offered by Dana. Examples show both exchange (EX) and core free (CF) options.

Exchange option	Core free option
<u>DSP40355EX</u>	DSP40355CF
DS404336EX	<u>DS404336CF</u>
RS404370EX	RS404370CF
D170DP410EX	D170DP410CF
<u>\$170D391EX</u>	<u>\$170D391CF</u>

Reliable, Affordable, and Fully Warrantied — with Extended Coverage Now Available!

Spicer medium-duty and heavy-duty axle carriers are built with 100% Spicer parts, with premium gearing, bearings, and oil seals in every unit.

In addition, we offer a full 3-year warranty, as well as the option for customers to extend it to a 4-year warranty* when using Spicer FE 75W-90 or XFE 75W-85 lube (https://spicerparts.com/parts/lubricants/commercial/fuel-efficient-synthetic-gear-lubricants) in linehaul applications.



Ratio Flex Program

Don't let the wrong ratio stall your stock truck sale.

Swap heads for the wanted ratio and close the deal!

The Program

The Spicer Ratio Flexibility Program is designed to help dealers close sales of stock vehicles that otherwise might be in jeopardy because the axle ratios in those vehicles do not meet the customer's requirements.

Features

- Substitution of complete head assemblies saves dealer time and expense of disassembly required with gear set exchanges.
- · Satisfies customer ratio requirements without jeopardizing warranty coverage due to internal gearing replacement.



Eligibility

Stock vehicles which have never been licensed and are equipped with Spicer axles as original equipment.

Warranty Coverage

Vehicles equipped with Spicer axles continue to qualify for full warranty coverage as specified by the OEM as long as all qualifications for warranty, including lubrication requirements and application limits, are met. Refer to Spicer Warranty Guide SWGR1 for specific warranty coverage and limits.

NOTE: Dana will process orders and request shipping of replacement product within 10 business days. While the intent is to ship product before the 10 days, it does not constitute a guarantee shipping date.

Spicer® Commercial Vehicle Carrier Core Guide

Core Guide Indentification Chart (https://dml.dana.com/assetbank-dana/assetfile/76464.pdf)

Victor Reinz® Reinzosil® RTV Silicone

Globally Trusted, Available Worldwide

Victor Reinz® Reinzosil® is a permanently elastic, universal silicone sealing compound with excellent resistance to fluids and extreme temperatures. Its durability, flexibility, and versatility make it a favorite among import car repair specialists. Reinzosil is the RTV sealant of choice in Europe; now, Victor Reinz brings this exceptional, in-demand product to the North American aftermarket.

One Tube Does it All

While there is a huge variety of RTV silicones on the market to choose from, high-quality, versatile Reinzosil offers a "one-tube" solution. Effective SKU consolidation saves you inventory space and dollars, and avoids ordering hassles.

- Reinzosil can replace a dozen or more different varieties of RTV
- Rather than various tube sizes that clutter your shelves, the 70 ml "shop-sized" Reinzosil tube is the correct volume for most customer application

Reinzosil Features

- Resistant to temperatures from -58°F to 482°F, and briefy up to 572°F (-50°C to 250°C, briefy to 300°C)
- Insignificant shrinkage and loss of mass
- No corrosion
- · Fast curing
- Non-hazardous substance
- Will not harm oxygen sensors
- Sealing gap > 0.15 mm

Tested and Proven to Offer Superior Sealing


Typical RTV sealants for gaps up to 0.15 mm don't hold up in high-heat environments, and they can break down quickly if exposed to internal combustion fuels, diesel fuels, and other liquids. Victor Reinz® Reinzosil® is thermally stable from -58°F/-50°C to 482°F/250°C—and unlike the competition. it will not shrink or lose weight in high-heat environments. Easy to



All-Makes King Pin Kits

A Range of Options to Meet Your Specifications.

Spicer® king pin kits are the result of years of engineering and testing. They are designed to deliver a significant performance advantage for your heavy-duty vehicle, are built to OE-specifications, and are easy to install.



ing Pin Kit Popular Applications and Industry Interchanges:			Competitive Interchange 1		Competitive Interchange 2			Competitive Interchange 3				
Applications	Spicer® Spiral	Spicer® DX Kit	Spicer® Bronze Kit	Bronze Style ID	Spiral	Pre-Sized Bronze	Ream Bronze	Spiral	DX Kit	Bronze Kit	DX Kit	Bronze K
E SERIES 1200-1320 SINGLE DRAWKEY	KPK3011	328344	328342	PRE-SIZED	K122E	70.122.05	50.122.05		NA.	R200281	300293	300297
FF931, 932, 933, 934, 941, 942, 943, 944, 961, 962, 966, 967, MFS10	KPK3001	KPK1122	KPK1123	PRE-SIZED	K961L	70.961.12	50.961.12	R202002	R201315	E6199B	300266	30023
E SERIES 1002-1462 DOUBLE DRAWKEY	KPK3002	328349	328347	PRE-SIZED	K147E	70.147.05	50.147.05				300306	30030
I SERIES 100, 120	KPK3003	120KK100	KPK1155	REAM	K120I	70.120.09	50.120.09		R201426		300271	30027
D SERIES 600, 700, 800, 850	KPK3004	329182	KPK1161	REAM	K103S	70.103.19	50.103.19		R201487			
I SERIES 60, 80	KPK3005	KPK1164	KPK1154	REAM	K102I	70.102.09	50.102.09			E6198B	300282	30026
EFA12	KPK3006	806355	KPK1156	PRE-SIZED	K120E	70.120.05	50.120.05		R200267	R200269	300257	30027
FL931, 933, 941, 943, 951	KPK3007	KPK1121	KPK1116	REAM	KH931L	78.931.12	58.931.12	R202011	R201312	R200198	300265	30021
MFS 8	KPK3008	KPK1068	NA	NA	K80R	70.080.18	50.080.18	R202012	R201474		300316	
EFA18, 20, 22, 24	KPK3009	811525	KPK1157	REAM	K180E	70.180.05	50.180.05		R200250		300267	30032
FG931, 933, 941, 943	KPK3010	KPK1120	KPK1118	PRE-SIZED	KG931R	77.931.18	57.931.18	R202010	R201309	R201310	300266	30026
FF981	KPK3056	KPK1024	NA	NA	K981R	70.981.18	50.981.18	R202003	R201419		NA	NA.
FH941, 945, 946	KPK3059	KPK1038	NA	NA	KH946R	78.946.18	58.946.18	R202008	R201424		NA	NA
FA523, FA532, FA538 - Mack - 12k	KPK3013	NA	KPK1106	PRE-SIZED	K533M	70.533.13	50.533.13		NA	R200065	NA	30023
E1460 I/W AFTER 1/1/2000	KPK3016	328345	328343	NA	K146E	70.146.05	50.146.05		NA		300308	30030
P20, P30, P3500	KPK3017	KPK1080	KPK1082	PRE-SIZED	K56G	70.056.07	50.056.07		R201600	R201602	300259	30027
FF931, FF941	KPK3021	KPK1119	KPK1117	PRE-SIZED	K931L	70.931.12	50.931.12	R202014	R201307	R200195	300242	30023
GMC 6000 LB	KPK3044	KPK1073 (N)	KPK1075	REAM	K55G	70.055.07	50.055.07		R200045	R200046	300208	30020
FC941	KPK3057	KPK1151	NA	NA	K941R	70.941.18	50.941.18		R201318	NA	300324	NA
I-132SG, I-140SG, I-140S, I-140W	KPK3064	140KK100	KPK1158	REAM	K141S	70.141.19	50.141.19		R201427	NA	300272	30027

Last updated: Thursday, 17 April 2025 12:00 PM

∧Back to Top

Copyright © Daimler Truck North America LLC. <u>Privacy Statement, Legal Notices and Terms</u>
(https://northamerica.daimlertruck.com/privacy-policy).

All rights reserved. Daimler Truck North America LLC is a Daimler company.

